

Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name	:	Ansep BLC
Product code	:	117564E
Use of the Substance/Mixture	:	Cleaning product
Substance type:	:	Mixture
		For professional users only.

Product dilution information : 8.0 %

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Process cleaner. Cleaning In place (CIP) process Process cleaner. Semi closed cleaning process
Recommended restrictions on use	:	Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company	: Ecolab Ltd. PO Box 11; Winnington Avenue Northwich, Cheshire, United Kingdom CW8 4DX + 44 (0)1606 74488 ccs@ecolab.com
	ccs@ecolab.com

1.4 Emergency telephone number

Emergency telephone number	:	+441618841235 +32-(0)3-575-5555 Trans-European
Poison Information Centre telephone number	:	For medical professionals only: 0344 892 0111

Date of Compilation/Revision	:	16.01.2023
Version	:	1.2

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Product AS SOLD

Corrosive to metals, Category 1	
Skin corrosion, Category 1	

H290 H314

Serious eye damage, Category 1
Chronic aquatic toxicity, Category 3

H318 H412

The classification of this product is based only on its extreme pH value (in accordance with current European legislation).

Product AT USE DILUTION	
Skin corrosion, Category 1	H314
Serious eye damage, Category 1	H318

The classification of this product is based only on its extreme pH value (in accordance with current European legislation).

2.2 Label elements

Labelling (REGULATION (EC Product AS SOLD Hazard pictograms	C) :	No 1272/2008)	
Signal Word	:	Danger	
Hazard Statements	:	H290 H314 H412	May be corrosive to metals. Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.
Supplemental Hazard Statements	:	EUH031	Contact with acids liberates toxic gas.
Precautionary Statements	:	Prevention: P273 P280	Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.
		Response: P303 + P361 + P3	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
		P305 + P351 + P3	
		P310	Immediately call a POISON CENTER/doctor.

Hazardous components which must be listed on the label: sodium hydroxide sodium hypochlorite

Product AT USE DILUTION Hazard pictograms	:		
Signal Word	:	Danger	
Hazard Statements	:	H314	Causes severe skin burns and eye damage.
Precautionary Statements	:	Prevention: P280	Wear protective gloves/ eye protection/ face

	pro	tection.
Response:		
P303 + P36	1 + P353	IF ON SKIN (or hair): Take off
	imr	nediately all contaminated clothing. Rinse
	skir	n with water or shower.
P305 + P35	1 + P338	IF IN EYES: Rinse cautiously with water
	for	several minutes. Remove contact lenses, if
	pre	sent and easy to do. Continue rinsing.
P310	İmr	nediately call a POISON CENTER/doctor.

2.3 Other hazards

Product AS SOLD

Mixing this product with acid or ammonia releases chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Product AS SOLD Hazardous components

Chemical Name	CAS-No.	Classification	Concentration
	EC-No. REACH No.	REGULATION (EC) No 1272/2008	: [%]
sodium hydroxide	1310-73-2 215-185-5 01-2119457892-27	Skin corrosion Category 1A; H314 Corrosive to metals Category 1; H290 Skin corrosion Category 1A H314 >= 5 % Skin corrosion Category 1B H314 2 - < 5 % Skin irritation Category 2 H315 0.5 - < 2 % Eye irritation Category 2 H319 0.5 - < 2 %	>= 5 - < 10
sodium hypochlorite	7681-52-9 231-668-3 01-2119488154-34	Nota B Skin corrosion Sub-category 1B; H314 Serious eye damage Category 1; H318 Acute aquatic toxicity Category 1; H400 Chronic aquatic toxicity Category 1; H410 Serious eye damage/eye irritation Category 1 10 - 100 % Serious eye damage/eye irritation Category 2A 5 - < 10 % Skin corrosion/irritation Category 1B 10 - 100 % Skin corrosion/irritation Category 2 5 - < 10 % M = 10 M(Chronic) = 1	>= 1 - < 2.5
potassium permanganate	7722-64-7 231-760-3 01-2119480139-34	Oxidizing solids Category 2; H272 Acute toxicity Category 4; H302 Reproductive toxicity Category 2; H361d Acute aquatic toxicity Category 1; H400 Chronic aquatic toxicity Category 1; H410 Serious eye damage/eye irritation Category 1; H318	>= 0.025 - < 0.1

Skin corrosion/irritation Category 1; H314
M = 10 M(Chronic) = 10

Product AT USE DILUTION Hazardous components

Chemical Name	CAS-No.	Classification	Concentration
	EC-No.	REGULATION (EC) No 1272/2008	: [%]
a a dia sa la sala a si da	REACH No.		0.5 4
sodium hydroxide	1310-73-2	Skin corrosion Category 1A; H314	>= 0.5 - < 1
	215-185-5 01-2119457892-27	Corrosive to metals Category 1; H290	
	01-2119407092-27	Skin corrosion Category 1A	
		$H314 \ge 5\%$	
		Skin corrosion Category 1B	
		H314 2 - < 5 %	
		Skin irritation Category 2	
		H315 0.5 - < 2 %	
		Eye irritation Category 2	
		H319 0.5 - < 2 %	
sodium hypochlorite	7681-52-9	Skin corrosion Sub-category 1B; H314	>= 0.025 - <
	231-668-3	Serious eye damage Category 1; H318	0.1
	01-2119488154-34	Acute aquatic toxicity Category 1; H400	
		Chronic aquatic toxicity Category 1; H410	
		Serious eye damage/eye irritation	
		Category 1	
		10 - 100 %	
		Serious eye damage/eye irritation	
		Category 2A	
		5 - < 10 %	
		Skin corrosion/irritation Category 1B	
		10 - 100 %	
		Skin corrosion/irritation Category 2 5 - < 10 %	
		M = 10	
		M = 10 M(Chronic) = 1	
For the full text of the H-	Statements mentioned		
For the full text of the H-Statements mentioned in this Section, see Section 16.			

Section: 4. FIRST AID MEASURES

4.1 Description of first aid measures

Product AS SOLD In case of eye contact	Rinse immediately with plenty of water, also under the eyelide at least 15 minutes. Remove contact lenses, if present and ex to do. Continue rinsing. Get medical attention immediately.	
In case of skin contact	Wash off immediately with plenty of water for at least 15 minu Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.	utes.
If swallowed	Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If conscious, g glasses of water. Get medical attention immediately.	
If inhaled	Remove to fresh air. Treat symptomatically. Get medical atte if symptoms occur.	ntion

Product AT USE DILUTION

Ansep BLC	
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If conscious, give 2 glasses of water. Get medical attention immediately.
If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

Section: 5. FIREFIGHTING MEASURES

Product AS SOLD

5.1 Extinguishing media

	Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
	Unsuitable extinguishing media	:	None known.
5.2	Special hazards arising from	th	e substance or mixture
	Specific hazards during firefighting	:	Exposure to decomposition products may be a hazard to health.
	Hazardous combustion products	:	Depending on combustion properties, decomposition products may include following materials: Not applicable.
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	Use personal protective equipment.
	Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

explosion do not breathe fumes.

Ansep BLC			
Product AS SOLD Advice for non-emergency personnel	: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.		
Advice for emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.		
Product AT USE DILUTION Advice for non-emergency personnel	: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.		
Advice for emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.		
6.2 Environmental precautions	6.2 Environmental precautions		
Product AS SOLD Environmental precautions	: Do not allow contact with soil, surface or ground water.		
Product AT USE DILUTION Environmental precautions	: Do not allow contact with soil, surface or ground water.		
6.3 Methods and materials for c	6.3 Methods and materials for containment and cleaning up		
Product AS SOLD Methods for cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.		
Product AT USE DILUTION Methods for cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth,		

diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
--

6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Product AS SOLD Advice on safe handling	: Do not ingest. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not breathe spray, vapour. Mixing this product with acid or ammonia releases chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.
Product AT USE DILUTION Advice on safe handling	: Do not ingest. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not breathe spray, vapour. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

7.2 Conditions for safe storage, including any incompatibilities

Product AS SOLD Requirements for storage areas and containers	: Do not store near acids. Absorb spillage to prevent material damage. Keep out of reach of children. Keep container tightly closed. Keep only in original packaging. Store in suitable labeled containers.
Storage temperature	: 5 °C to 35 °C
Packaging material	: Suitable material: Plastic material
	Unsuitable material: Mild steel, Aluminium
Product AT USE DILUTION Requirements for storage areas and containers	: Do not store near acids. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

7.3 Specific end uses

Product AS SOLD

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Product AS SOLD

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
sodium hydroxide	1310-73-2	STEL	2 mg/m3	UKCOSSTD
potassium permanganate	7722-64-7	TWA (Inhalable)	0.2 mg/m3 (Manganese)	UKCOSSTD
		TWA (Respirable fraction)	0.05 mg/m3 (Manganese)	UKCOSSTD
chlorine	7782-50-5	STEL	0.5 ppm 1.5 mg/m3	UKCOSSTD
		STEL	0.5 ppm 1.5 mg/m3	2006/15/EC
Further information	Indi	cative		

DNEL

DNLL		
sodium hydroxide	:	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 1 mg/m3
		End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 1 mg/m3

8.2 Exposure controls

Product AS SOLD

Appropriate engineering controls : Effective exhaust ventilation system. Maintain air concentrations Engineering measures below occupational exposure standards. Individual protection measures Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard. Eye/face protection (EN 166) : Safety goggles Face-shield Hand protection (EN 374) : Recommended preventive skin protection Gloves Nitrile rubber butyl-rubber Breakthrough time: 1 – 4 hours Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4 mm or equivalent (please refer to the gloves manufacturer/distributor for advise). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Skin and body protection : Personal protective equipment comprising: suitable protective (EN 14605) gloves, safety goggles and protective clothing including appropriate safety shoes

sep BLC	
Respiratory protection (EN 143, 14387)	: None required if airborne concentrations are maintained below exposure limit listed in Exposure Limit Information. Use certifie respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, whe respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, metho or procedures of work organization.
Product AT USE DILUTION Appropriate engineering cor	trols
Engineering measures	: Effective exhaust ventilation system. Maintain air concentration below occupational exposure standards.
Individual protection measur	res
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-u Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flush of the eyes and body in case of contact or splash hazard.
Eye/face protection (EN 166)	: Safety goggles Face-shield
Hand protection (EN 374)	 Recommended preventive skin protection Gloves Nitrile rubber butyl-rubber Breakthrough time: 1 – 4 hours Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0. mm or equivalent (please refer to the gloves manufacturer/distributor for advise). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin and body protection (EN 14605)	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing including appropriate safety shoes
Respiratory protection (EN 143, 14387)	: None required if airborne concentrations are maintained below exposure limit listed in Exposure Limit Information. Use certifie respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, whe respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, metho or procedures of work organization.
Environmental exposure cor	ntrols
General advice	: Consider the provision of containment around storage vessels.

9.1 Information on basic physical and chemical properties

Product AS SOLD	Product AT USE DILUTION
: liquid	liquid

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Ansep BLC

Colour	: clear, purple light pink	
Odour	: Chlorine not significant	
рН	: 13.0 - 13.6, 100 % 13.0	
Flash point	: Not applicable.	
Odour Threshold	: Not applicable and/or not determined for the mixture	
Melting point/freezing point	: Not applicable and/or not determined for the mixture	
Initial boiling point and boiling range	: >100 °C	
Evaporation rate	: Not applicable and/or not determined for the mixture	
Flammability (solid, gas)	: Not applicable and/or not determined for the mixture	
Upper explosion limit	: Not applicable and/or not determined for the mixture	
Lower explosion limit	: Not applicable and/or not determined for the mixture	
Vapour pressure	: Not applicable and/or not determined for the mixture	
Relative vapour density	: Not applicable and/or not determined for the mixture	
Relative density	: 1.1 - 1.16	
Water solubility	: soluble	
Solubility in other solvents	: Not applicable and/or not determined for the mixture	
Partition coefficient: n- octanol/water	: Not applicable and/or not determined for the mixture	
Auto-ignition temperature	: Not applicable and/or not determined for the mixture	
Thermal decomposition	: Not applicable and/or not determined for the mixture	
Viscosity, kinematic	: Not applicable and/or not determined for the mixture	
Explosive properties	: Not applicable and/or not determined for the mixture	
Oxidizing properties	: Yes	

9.2 Other information

Not applicable and/or not determined for the mixture

Section: 10. STABILITY AND REACTIVITY

Product AS SOLD 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Mixing this product with acid or ammonia releases chlorine gas.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

Acids Metals Organic materials

Mild steel Aluminium

10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials: Not applicable.

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Product AS SOLD Information on likely routes of exposure	: Inhalation, Eye contact, Skin contact	
Product		
Acute oral toxicity	: There is no data available for this product.	
Acute inhalation toxicity	: There is no data available for this product.	
Acute dermal toxicity	: There is no data available for this product.	
Skin corrosion/irritation	: There is no data available for this product.	
Serious eye damage/eye irritation	: There is no data available for this product.	
Respiratory or skin sensitization	: There is no data available for this product.	
Carcinogenicity	: There is no data available for this product.	
Reproductive effects	: There is no data available for this product.	
Germ cell mutagenicity	: There is no data available for this product.	
Teratogenicity	: There is no data available for this product.	
STOT - single exposure	: There is no data available for this product.	
STOT - repeated exposure	: There is no data available for this product.	
Aspiration toxicity	: There is no data available for this product.	
Components		
Acute oral toxicity	: sodium hypochlorite LD50 rat: 5,230 mg/kg	
	potassium permanganate LD50 rat: 1,125 mg/l	kg

Components	
Acute dermal toxicity	: sodium hypochlorite LD50 rabbit: > 10,000 mg/kg
Potential Health Effects	
Product AS SOLD Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.
Product AT USE DILUTION Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.
Experience with human exp	osure

Experience with human exposure

Product AS SOLD Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough
Product AT USE DILUTION	
Eye contact	: Redness, Pain, Corrosion
	Redness, Pain, CorrosionRedness, Pain, Corrosion
Eye contact	

Section: 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Product AS SOLD Environmental Effects	: Harmful to aquatic life with long lasting effects.
Product AT USE DILUTION	
Environmental Effects	: Harmful to aquatic life.

Product AS SOLD Product	
Toxicity to fish	: no data available
Toxicity to daphnia and other aquatic invertebrates	: no data available
Toxicity to algae	: no data available
Components	
Toxicity to fish	: potassium permanganate96 h LC50 Poecilia reticulata (guppy): 0.47 mg/l
Components	
Toxicity to daphnia and other aquatic invertebrates	: sodium hydroxide48 h EC50 Daphnia magna (Water flea): 40 mg/l
	sodium hypochlorite48 h EC50 Aquatic Invertebrate: 0.071 mg/l
	potassium permanganate48 h EC50 Daphnia magna (Water flea): 0.06 mg/l
Components	
Toxicity to algae	: potassium permanganate72 h EC50 algae: 0.43 mg/l
12.2 Persistence and degradabi	ity
Product	
Biodegradability	: The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC
Components	
Biodegradability	: sodium hydroxideResult: Not applicable - inorganic
	sodium hypochloriteResult: Not applicable - inorganic
	potassium permanganateResult: Not applicable - inorganic
12.3 Bioaccumulative potential	
no data available	
12.4 Mobility in soil	
no data available	
12.5 Results of PBT and vPvB a	ssessment
Product	

Product

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product AS SOLD Product	: Do not contaminate storm water drains, natural waterways or soil with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations Dispose of wastes in an approved waste disposal facility.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.
Guidance for Waste Code selection	: Inorganic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.
Product AT USE DILUTION Product	: Do not contaminate storm water drains, natural waterways or soil with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations Dispose of wastes in an approved waste disposal facility.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

14.1 UN number	: 3266
14.2 UN proper shipping name	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
	(sodium hypochlorite, sodium hydroxide)
14.3 Transport hazard class(es)	: 8
14.4 Packing group	: 11

Ansep BLC	Ansep	BLC
-----------	-------	-----

14.5 Environmental hazards 14.6 Special precautions for user	
Air transport (IATA) 14.1 UN number	: 3266
14.2 UN proper shipping name	: Corrosive liquid, basic, inorganic, n.o.s.
14.3 Transport hazard	(sodium hypochlorite, sodium hydroxide) : 8
class(es) 14.4 Packing group	: 11
14.5 Environmental hazards	
14.6 Special precautions for user	: None
Sea transport (IMDG/IMO)	
14.1 UN number	: 3266
	: 3266 : Corrosive Liquid, Basic, Inorganic, N.O.S.
14.1 UN number 14.2 UN proper shipping name	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hypochlorite, sodium hydroxide)
14.1 UN number 14.2 UN proper shipping	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group	 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hypochlorite, sodium hydroxide) 8 II
 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 	 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hypochlorite, sodium hydroxide) 8 II No
14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group	 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hypochlorite, sodium hydroxide) 8 II No

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

	according to Detergents Regulation EC 648/2004	:	less than 5 %: Phosphates, Chlorine-based bleaching agents
	Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major- accident hazards involving dangerous substances.	:	Not applicable.
	Candidate List of Substances of Very High Concern for Authorisation	:	Not applicable.
	National Regulations		
Take note of Dir 94/33/EC on the protection of young people at work.			
	Other regulations	:	The Chemicals (Hazard Information and Packaging for Supply) Regulations.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out on the product.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Corrosive to metals 1, H290	Calculation method
Skin corrosion 1, H314	Based on product data or assessment
Serious eye damage 1, H318	Based on product data or assessment
Chronic aquatic toxicity 3, H412	Calculation method

Full text of H-Statements

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Exposure Scenario: Process cleaner. Cleaning In place (CIP) process

Life Cycle Stage	:	Use at industrial sites	
Product category	:	PC35	Washing and cleaning products (including solvent based products)

Contributing scenario controlling environmental exposure for:

Environmental release category	:	ERC4	Industrial use of processing aids in processes and products, not becoming part of articles
Daily amount per site	:	50 kg	
Type of Sewage Treatment Plant	:	Municipal s	ewage treatment plant

Contributing scenario controlling worker exposure for:

Process category :	PROC8b	Transfer of substance or preparation (charg discharging) from/ to vessels/ large contained dedicated facilities	
Exposure duration :	60 min		
Operational conditions and : risk management measures	Indoor		
	Local Exha	ust Ventilation is not required	
General ventilation	Ventilation	rate per hour	1
Skin Protection :	see section	8	
Respiratory Protection :	see sectior	8	

Contributing scenario controlling worker exposure for:

Ansep	BLC
-------	-----

Process category	:	PROC1	Use in closed process, no likelihood of exposure		
Exposure duration	:	480 min			
Operational conditions and risk management measures	:	Indoor			
		Local Exha	ust Ventilation is not required		
General ventilation		Ventilation	rate per hour 1		
Skin Protection	:	see section	8		
Respiratory Protection	:	see section	8		
Exposure Scenario: Process	s cl	eaner. Semi	closed cleaning process		
Life Cycle Stage	:	Use at indu	strial sites		
Product category	:	PC35	Washing and cleaning products (including solvent based products)		
Contributing scenario controlling environmental exposure for:					
Environmental release category	:	ERC4	Industrial use of processing aids in processes and products, not becoming part of articles		
Daily amount per site	:	50 kg			
Type of Sewage Treatment Plant	:	Municipal s	ewage treatment plant		
Contributing scenario controlling worker exposure for:					
-		55000	- - - - - - - - - -		

Process category	:	PROC8b	Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities
Exposure duration	:	60 min	
Operational conditions and risk management measures	:	Indoor	
		Local Exhau	ist Ventilation is not required
General ventilation		Ventilation r	ate per hour 1
Skin Protection	:	see section	8
Respiratory Protection	:	see section	8
Contributing scenario contro	ollir	ig worker ex	posure for:
Process category	:	PROC4	Use in batch and other process (synthesis) where opportunity for exposure arises

Operational conditions and risk management measures	:	Indoor	
		Local Exhaust Ventilation is not required	
General ventilation		Ventilation rate per hour	
Skin Protection	:	see section 8	
Respiratory Protection	:	see section 8	

1